

ACCESSORIES
Diverse selection





All items, with and without an Ex symbol, are suitable for normal cleaning use.



All items with the Dust-Ex symbol can be used in areas with explosive dust, in zone 20, 21, and 22.



All items with the Ex symbol can be used in areas with explosive gas in zone 1 and 2, without impact or friction sparks.
Hoses can also be used on Zone 0, 1, 2 and zone 20, 21, and 22.





35 mm *1)

Hose, 2.5 m, rubber	
Connections: Galvanised steel, conductive, M Art no: 31123	
Connections: Stainless steel, conductive, M Art no: 31124	

Hose 2.5 m, plastic, highly flexible	
Connections: Galvanised steel, conductive, M Art no: 10324	
Connections: Stainless steel, conductive, M Art no: 10388	

Hose, 2.5 m, PUR, highly resistant to abrasion	
Connections: Galvanised steel, conductive, M Art no: 10336	
Connections: Stainless steel, conductive, M Art no: 27628	

50 mm

Hose, 3.0 m, rubber	
Connections: Plastic, conductive, Ω Art no: 10556	
Connections: Stainless steel, conductive, M Art no: 10432	

Hose, 3.0 m, plastic, highly flexible	
Connections: Plastic, conductive, Ω Art no: 10550	
Connections: Stainless steel, conductive, M Art no: 10484	

Hose, 3.0 m, PUR, highly resistant to abrasion	
Connections: Plastic, conductive, Ω Art no: 13346	
Connections: Stainless steel, conductive, M Art no: 10497	

70 mm

Hose, 3.0 m, rubber	
Connections: Plastic, conductive, Ω Art no: 31128	
Connections: Stainless steel, conductive, M Art no: 31900	
Connections: Galvanised steel, conductive, M - Art no: 11165	

Hose, 3.0 m, plastic, highly flexible	
Connections: Galvanised steel, conductive, M Art no: 10750	
Connections: Plastic, conductive, Ω Art no: 10681	
Connections: Stainless steel, conductive, M Art no: 10785	

















Hose, 3.0 m, PUR, highly resistant to abrasion	
Connections: Galvanised steel, conductive, M Art no: 10739	
Connections: Plastic, conductive, Ω Art no: 10687	
Connections: Stainless steel, conductive, M Art no: 10783	

100 mm

Hose, 3.0 m, plastic, highly flexible	
Connections: Galvanised steel, conductive, M Art no: 11107	
Connections: Stainless steel, conductive, M Art no: 11139	


Hose, 3.0 m, PUR, highly resistant to abrasion	
Connections: Galvanised steel, conductive, M Art no: 11098	
Connections: Stainless steel, conductive, M Art no: 17388	




<p>Hose, 2.5 m, plastic</p> <p>Connections: Galvanised steel, conductive, Ω Art no: 10288</p> <p>Connections: Stainless steel, conductive, Ω Art no: 21103</p>	 	<p>Hose 2.5 m, Galvanised metal, with specialised threaded seal</p> <p>Connections: Galvanised steel, conductive, M Art no: 10314</p>		<p>Hose, 2.5 m, rubber</p> <p>Connections: Stainless steel, conductive, M Art no: 31125</p>		<p>35 mm ^{*1)}</p>
<p>Hose, 3.0 m, plastic</p> <p>Connections: Plastic, conductive, Ω Art no: 10517</p> <p>Connections: Stainless steel, conductive, M Art no: 10451</p>	 	<p>Hose, 3.0 m, Galvanised metal with specialised threaded seal</p> <p>Connections: Stainless steel, conductive, M Art no: 10462</p>		<p>Hose, 3.0 m, rubber</p> <p>Connections: Stainless steel, conductive, M Art no: 10575</p> <p>Connections: Plastic, conductive, Ω Art no: 10576</p>	 	
<p>Hose, 3.0 m, plastic</p> <p>Connections: Galvanised steel, conductive, Ω Art no: 10726</p> <p>Connections: Plastic, conductive, Ω Art no: 10672</p>	 	<p>Hose, 3.0 m, Galvanised metal with specialised threaded seal</p> <p>Connections: Galvanised steel, conductive, M Art no: 10733</p> <p>Connections: Stainless steel, conductive, M Art no: 24798</p>	 	<p>Hose, 3.0 m, rubber</p> <p>Connections: Stainless steel, conductive, M Art no: 10779</p> <p>Connections: Plastic, conductive, Ω Art no: 31128</p>	 	<p>70 mm</p>
		<p>Hose, 3.0 m, Galvanised metal with specialised threaded seal</p> <p>Connections: Galvanised steel, conductive, M Art no: 11116</p>				





35 mm *)



<p>Hose, 2.5 m, PUR, highly resistant to abrasion</p> <p>Connections: Stainless steel, conductive, M Art no: 10377</p>	
---	---


<p>Hose, 2.5 m, PUR, highly resistant to abrasions, lightweight version</p> <p>Connections: Galvanised steel, conductive, M Art no: 17604</p>	
--	--

--	--



50 mm




<p>Hose, 3.0 m, PUR, highly resistant to abrasion</p> <p>Connections: Stainless steel, conductive, M Art no: 10584</p> <p>Connections: Plastic, conductive, Ω Art no: 10562</p>	 
--	---

<p>Hose, 3.0 m, PUR, highly resistant to abrasion, lightweight version</p> <p>Connections: Stainless steel, conductive, M Art no: 17009</p> <p>Connections: Plastic, conductive, Ω Art no: 17328</p>	 
---	--

<p>Hose, 3.0 m, Galvanised steel, plastic sheath</p> <p>Connections: Stainless steel, conductive, M Art no: 21412</p>	
--	---


70 mm



<p>Hose, 3.0 m, PUR, highly resistant to abrasion</p> <p>Connections: Stainless steel, conductive, M Art no: 10769</p> <p>Connections: Plastic, conductive, Ω Art no: 31129</p>	 
--	--

<p>Hose, 3.0 m, PUR, highly resistant to abrasions, lightweight design</p> <p>Connections: Galvanised steel, conductive, M Art no: 17387</p> <p>Connections: Plastic, conductive, Ω Art no: 17547</p> <p>Connections: Stainless steel, conductive, M Art no: 17546</p>	  
--	--

--	--












100 mm


<p>Hose, 3.0 m, PUR, highly resistant to abrasion</p> <p>Connections: Stainless steel, conductive, M Art no: 17344</p>	
---	---

<p>Hose, 3.0 m, PUR, highly resistant to abrasion, lightweight version</p> <p>Connections: Galvanised steel, conductive, M Art no: 18408</p> <p>Connections: Stainless steel, conductive, M Art no: 22318</p>	 
---	--

--	--



<p>Tube, curved Stainless steel without pin Art no: 10373</p>						35 mm
<p>Tube, curved Galvanised steel 1 Pin, Art no: 10445 2 Pin, Art no: 10544 Stainless steel 1 Pin, Art no: 19600 2 Pin, Art no: 10579</p>	 	<p>Tube, curved Black plastic, conductive 1 Pin Art no: 10559 2 Pin Art no: 18157</p>	 	<p>Extension tube, with sleeve, 1.0 m, 1-piece Black plastic, conductive Art no: 10524 Aluminium Art no: 10514</p>	 	50 mm
<p>Tube, curved Galvanised steel 1 Pin - Art no: 10763 2 Pin - Art no: 10764 Stainless steel 1 Pin - Art no: 22219 2 Pin - Art no: 18054</p>	 					70 mm
<p>Tube, curved, 1 Pin Galvanised steel Art no: 11088 Stainless steel Art no: 17893</p>	 					100 mm













35 mm






50 mm

70 mm


100 mm

<p>Tube, 1.0 m, two-piece</p> <p>Stainless steel without pin - Art no: 10374</p> <p>Plastic without pin - Art no: 10321</p>				<p>Brush nozzle, wood, 300 mm, rounded, horsehair</p> <p>90° Connection: rubber Art no: 10282</p> <p>45° Connection: stainless steel Art no: 10376</p>	
<p>Tube, 1.0 m, one-piece</p> <p>Stainless steel without pin - Art no: 10596 1 Pin - Art no: 10578</p> <p>Aluminium without pin - Art no: 10433 1 Pin - Art no: 27114</p>	 			<p>Brush nozzle, wood, 300 mm, rounded, horsehair, 90°</p> <p>Connection: plastic Art no: 10442</p> <p>Connection: stainless steel Art no: 10568</p>	
<p>Tube, 1.0 m, one piece with handle, stainless steel 1 Pin</p> <p>Art no: 25058</p>		<p>Tube, 1.0 m, with handle, 30° degree bevel</p> <p>Stainless steel Art no: 10776</p> <p>Galvanised steel Art. no: 10696</p>	 		
		<p>Tube, 1.0 m, with double handle, 30° degree bevel</p> <p>Stainless steel Art no: 12283</p> <p>Galvanised steel Art. no: 11089</p>	 		







<p>Brush nozzle, wood, 300 mm, straight, horsehair, 45°</p> <p>Connection: rubber Art no: 10285</p> <p>Connection: stainless steel Art no: 22182</p>		<p>Round brush, wood, 100 mm diameter, horsehair, 45°</p> <p>Connection: stainless steel Art no: 10375</p>		<p>Round brush, wood, 100 mm diameter, horsehair, 90°</p> <p>Connection: stainless steel Art no: 17109</p>		35 mm
<p>Brush nozzle, wood, 300 mm, straight, horsehair, Connection: plastic 45°- Art no: 10444 90°- Art no: 17108 Perlon</p> <p>Connection: plastic 45°- Art no: 12250</p> <p>Connection: stainless steel 45°- Art no: 10570</p>				<p>Round brush, wood, 100 mm diameter, horsehair, 45°</p> <p>Connection: stainless steel Art no: 10567</p>		50 mm
						70 mm
						100 mm



35 mm	<p>Round brush, wood, 100 mm diameter</p> <p>Connection: rubber horsehair 45° - Art no: 10286 90° - Art no: 12333</p> <p>Perlon 45° - Art no: 12247</p>		<p>Pipe brush, plastic</p> <p>for pipes 100 mm diameter Art no: 58000</p> <p>for pipes 200 mm diameter Art no: 10313</p>		<p>Crevice nozzle, curved tube, stainless steel, suction side 45 x 10 mm, without pin</p> <p>Art no: 10384</p>	
	50 mm	<p>Round brush, wood, 100 mm diameter</p> <p>Connection: plastic Horsehair 45° - Art no: 10443 90° - Art no: 17104</p> <p>Perlon 45° - Art no: 12246 90° - Art no: 17526</p>		<p>Pipe brush, plastic</p> <p>for pipes 100 mm diameter Art no: 10480</p> <p>for pipes 200 mm diameter Art no: 10481</p>		<p>Crevice nozzle, curved tube, suction side 70 x 10 mm</p> <p>Galvanised steel without pin - Art no: 10478 1 Pin - Art no: 18736</p> <p>Stainless steel without pin - Art no: 10577 1 Pin - Art no: 27507</p>
70 mm						<p>Crevice nozzle, curved tube, suction side 100 x 10 mm, without pin</p> <p>Galvanised steel Art no: 10698</p> <p>Stainless steel Art no: 20331</p>
	100 mm					



<p>Crevice nozzle, 500 mm, Suction side 50 x 10 mm, bevelled, without pin</p> <p>Chrome-plated steel Art no: 10322</p> <p>Stainless steel Art no: 17780</p>	 	<p>Crevice nozzle, plastic, 210 mm, conical, Suction side 30 x 8 mm, bevelled</p> <p>Art no. 10283</p>			
<p>Crevice nozzle, stainless steel, 500 mm, Suction side 80 x 10 mm, bevelled, without pin</p> <p>Art no: 10569</p>		<p>Crevice nozzle, plastic, 300 mm, Suction side 60 x 12 mm, bevelled, without pin,</p> <p>Connection: stainless steel Art no: 10470</p> <p>Connection: plastic Art no: 21690</p>		<p>Crevice nozzle, rubber, oil-resistant, conductive 485 mm, Suction side 45 x 14 mm, bevelled</p> <p>Art no. 75083</p>	

35 mm

50 mm

70 mm

100 mm



Mass suction nozzle
Art no. 75076








35 mm






50 mm

70 mm

100 mm

<p>Nozzle, rubber, 300 mm, conical diameter adjustable from 10 - 25 mm</p> <p>Art no: 10309 (black)</p>		<p>Nozzle, rubber, 100 x 25 mm, flat, 45°, oil-resistant, conductive</p> <p>Art no: 10349 (black)</p>			
<p>Nozzle, rubber, 300 mm, conical diameter adjustable from 10 - 25 mm</p> <p>Art no: 10482 (black)</p>		<p>Nozzle, rubber, 100 x 25 mm, flat, 45°</p> <p>oil-resistant, conductive Art no: 10513 (black) oil-resistant in certain conditions Art no: 19209 (grey)</p> <p>Mass suction nozzle oil-resistant, conductive Art no: 75076 (black)</p>	 	<p>Nozzle, rubber, 250 mm, 20 mm diameter, conical</p> <p>Art no: 10449 (black) oil-resistant Art no: 10508 (black) oil-resistant in certain conditions Art no: 15033 (grey)</p> <p>oil-resistant, conductive Art no: 22069 (black)</p>	
				<p>Nozzle, rubber, 400 mm, 40 mm diameter, conical, oil-resistant, conductive</p> <p>Art no: 10701 (black)</p>	



<p>Round brush, rubber, 70 mm diameter, 45°</p> <p>Horsehair, conductive Art no: 10350 (black)</p> <p>Polyamide edging, conductive Art no: 62460 (black)</p>	 	<p>Nozzle, rubber, 200 mm, 20 mm diameter, conical, bevelled</p> <p>Art no: 10284 (black)</p> <p>oil-resistant Art no. 10348 (black)</p> <p>oil-resistant, conductive Art no. 22441 (black)</p>		<p>Nozzle, plastic, Suction side 90 x 12 mm, flat, 45°, bevelled</p> <p>Art no: 10310 (black)</p>		35 mm
<p>Round brush, rubber, 70 mm diameter, 45°,</p> <p>Horsehair, conductive Art no: 10512 (black)</p> <p>Art no: 31133 (grey)</p> <p>Polyamide edging, conductive Art no: 62463 (black)</p>		<p>Nozzle, rubber, 485 mm, 45 x 14 mm, conical, bevelled conductive</p> <p>Art no: 75083 (black)</p>		<p>Nozzle, plastic, Suction side 90 x 12 mm, flat, 45°, bevelled</p> <p>Art no: 20886 (black)</p>		50 mm
						70 mm
						100 mm



Crevice nozzle
Art no. 10283

35 mm

Universal brush,
plastic,
suction side 120 x 45 mm,
Perlon

Art no: 10311

Universal brush,
plastic, articulating
suction side 120 x 45 mm,
Perlon

Art no: 50418

Radiator nozzle as attachment
for the crevice nozzle, plastic,
suction side 30 x 8 mm,
Perlon



Art no: 10281

50 mm

70 mm

100 mm



				<p>Floor nozzle, 360 mm, with casters, swivel joint, Plastic Rubber strip Art no: 10287</p> <p>Plastic / metal Rubber strip Art no: 10305 Strip brush Art no: 10353</p>		35 mm
<p>Mass suction nozzle, Cast aluminium, Suction side 115 x 40 mm, 45° Connection: stainless steel</p> <p>Art no: 10448</p>		<p>Coarse suction nozzle, Cast aluminium, Suction side 200 x 70 mm, with bristles, 45° Connection: stainless steel</p> <p>Art no: 10523</p>				50 mm
						70 mm
						100 mm









35 mm









50 mm

70 mm

100 mm

		<p>Floor nozzle, Cast aluminium, 400 mm, Swivel joint, height adjustable, plastic wheels, conductive</p> <p>Rubber strip Art no: 10532</p> <p>Strip brush Art no: 10534</p>	 	<p>Floor nozzle, Cast aluminium, 500 mm, Swivel joint, height adjustable, plastic wheels, conductive</p> <p>Rubber strip Art no: 10530</p> <p>Strip brush Art no: 10533</p>	 
	<p>Floor nozzle, Galvanised steel, 500 mm, height adjustable, plastic wheels, conductive</p> <p>Rubber strip Art no: 10766</p> <p>Strip brush Art no: 10765</p>	 			



				<p>Floor nozzle, Plastic / cast aluminium, 360 mm, swivel joint, height adjustable Brass wheels, conductive</p> <p>Rubber strip Art no: 23613</p> <p>Strip brush Art no: 23612</p>	 	35 mm
<p>Floor nozzle, bronze, 500 mm, swivel joint, height adjustable, brass wheels, Bronze axes, conductive</p> <p>Rubber strip Art no: 10546</p> <p>Strip brush Art no: 10547</p>	 	<p>Floor vacuuming equipment, Galvanised steel, height adjustable</p> <p>for R01 - wheels 75 mm Ø 600 mm - Art no: 10435 800 mm - Art no: 10472</p> <p>for D2/W3 - wheels 125 mm Ø 600 mm - Art no: 10436 800 mm - Art no: 10473</p>	 	<p>Floor nozzle, Plastic / cast aluminium, 360 mm, swivel joint, height adjustable, Plastic wheels Strip brush</p> <p>Art no: 58434</p>		50 mm
		<p>Floor vacuuming equipment,, Galvanised steel, height adjustable</p> <p>for R01 - wheels 75 mm Ø 600 mm - Art no: 10660 800 mm - Art no: 10666</p> <p>for D2/W3 - wheels 125 mm Ø 600 mm - Art no: 10661 800 mm - Art no: 10667</p>	 			70 mm
						100 mm







35 mm

50 mm

70 mm



100 mm



				<p>Angled sleeve, Stainless steel, 320 mm, 90°, knurled screw</p> <p>Art no: 17585</p>	
<p>Angled sleeve, Aluminium, 320 mm, Knurled screw Connection: plastic, 90°</p> <p>Art no: 10528</p>		<p>Angled sleeve, 320 mm, 45°, knurled screw</p> <p>Aluminium Art no: 10471</p> <p>Galvanised steel Art no: 10537</p>	 	<p>Angled sleeve, Galvanised steel, 320 mm, 90°, knurled screw</p> <p>Art no: 10538</p>	



--	--

--	--


<p>Fork piece, 45° 70 / 2 x 70 mm,</p> <p>Galvanised steel Art no: 11008</p> <p>Stainless steel Art no: 12769</p>	 
---	--

<p>Fork piece, 45° 100 / 2 x 70 mm,</p> <p>Galvanised steel Art no: 11033</p> <p>Stainless steel Art no: 23852</p>	 
--	--



--	--



--	--



--	--

<p>Fork piece, 120° Galvanised steel star shaped, 100 / 3 x 50 mm</p> <p>Art no: 11034</p>	
--	--

--	--

<p>Fork piece, 45° 50 / 2 x 50 mm</p> <p>Galvanised steel Art no: 11004</p> <p>Stainless steel Art no: 12369</p>	 
--	---

<p>Fork piece, 45° 70 / 2 x 50 mm</p> <p>Galvanised steel Art no: 11006</p> <p>Stainless steel Art no: 12394</p>	 
--	--

<p>Fork piece, 45° Galvanised steel</p> <p>100 / 2 x 50 mm Art no: 15013</p> <p>100 / 2 x 70 mm Art no: 11033</p>	 
---	--

35 mm

50 mm

70 mm

100 mm















35 mm











50 mm

70 mm

100 mm

<p>Fork piece, 120°, 50 / 3 x 50 mm, star-shaped</p> <p>Galvanised steel Art no: 11005</p> <p>Stainless steel Art no: 19250</p>	 				
<p>Fork piece, 120°, 70 / 3 x 50 mm, star-shaped</p> <p>Galvanised steel Art no: 11007</p> <p>Stainless steel Art no: 12565</p>	 	<p>Junction, 70 / 50 mm, Pin</p> <p>Galvanised steel Art no: 15222</p> <p>Stainless steel Art no: 15253</p>	 	<p>Junction, 70 / 50 mm, Plastic, conductive, Pin</p> <p>Art no: 15255</p>	
<p>Fork piece, 120°, Galvanised steel, star-shaped</p> <p>100 / 3 x 50 mm Art no: 11034</p> <p>100 / 3 x 70 mm Art no: 12293</p>	 	<p>Junction, Galvanised steel, pin</p> <p>100 / 70 mm Art no: 15229</p> <p>100 / 50 mm, Art no: 19338</p> <p>Stainless steel 100 / 70 mm Art no: 12059</p>	  		



						35 mm
<p>Junction, 50 / 35 mm, Pin</p> <p>Galvanised steel Art no: 15252</p> <p>Stainless steel Art no: 15254</p>	 	<p>Hinged cover ^{*2)}, aluminium, Male thread: 2"</p> <p>Art no: 10511</p> <p>with reed contact NO contact Art no: 10522</p> <p>with reed contact NC contact Art no: 10541</p>	  	<p>Hinged cover ^{*2)}, Conductive plastic Male thread: 2"</p> <p>Art no: 20995</p> <p>with micro switch (changeover contact) Designation: II 3 D Art no: 21003</p>	 	50 mm
		<p>Hinged cover ^{*2)}, aluminium, Male thread: 2.5"</p> <p>Art no: 10679</p> <p>with reed contact NO contact Art no: 10680</p> <p>with reed contact NC contact Art no: 10723</p>	  			70 mm
						100 mm

*2) Use in an explosive gas atmosphere is permitted only if the switch is operated in an intrinsically safe electrical circuit.

Other accessories



Pre-separator container, stainless steel


50 litre - Art no: 22358
 70 litre - Art no: 10859
 100 litre - Art no: 10860
 200 litre - Art no: 10861



Pre-separator container, galvanised steel

without hinged cover
 35 litre - Art no: 27877
 50 litre - Art no: 56447
 110 litre - Art no: 11002
 200 litre - Art no: 10997

with hinged cover
 35 litre - Art no: 10961
 50 litre - Art no: 10995
 110 litre - Art no: 10996




Pre-separator cover, stainless steel, for pre-separator containers

50 litres / 70 litres	200 litres
50 / 50 mm - Art no: 39727	50 / 50 mm - Art no: 10856
70 / 70 mm - Art no: 10852	70 / 70 mm - Art no: 39864
100 litres	100 / 100 mm - Art no: 21131
50 / 50 mm - Art no: 10853	
70 / 70 mm - Art no: 10854	



Pre-separator cover, galvanised steel, for pre-separator container

35 litres / 50 litres	200 litres
50 / 50 mm - Art no: 22941	50 / 50 mm - Art no: 10941
110 litres	70 / 70 mm - Art no: 10942
50 / 50 mm - Art no: 10938	100 / 100 mm - Art no: 10943
70 / 70 mm - Art no: 10939	



Trolley for pre-separator container, casters 75 mm diameter

Stainless steel
 for 50 / 70 litres - Art no: 33174
 for 100 litres - Art no: 34940
 for 200 litres - Art no: 33173

Galvanised steel
 for 35 / 50 litres - Art no: 10992
 for 110 litres - Art no: 10998
 for 200 litres - Art no: 10999



Pre-separator trolley
 Steel tube, powder-coated, red
 for pre-separator 200 litres, galvanised steel,
 with tilting device and forklift pockets,
 Casters: 125 mm diameter
 Art no: 10955



Other accessories



Pre-filter cell system, galvanised steel, with cover
Connections: 70 mm diameter
50 litre - Art no: 50450
110 litre - Art no: 17872
200 litre - Art no: 11024



Filter sacks for pre-filter cell systems
for 50 litre barrel
Jute - Art no: 11035
Nonwoven material - Art no: 22103
Jute - Art no: 13894
for 200 litre barrel
Jute - Art no: 11026
Nonwoven material - Art no: 11071
Polyester needle felt, Dust class M
Art no: 47549



Dust filter bag for disposal tray
for R01 / WS 200
Packaging unit: 5 pieces
Art no: 50494



Disposal tray for R01, 30 litres
with cover
Art no: 15047
without cover
Art no: 21366
with cover
Art no: 80911




Bag insert for dust tray
R01, 35 litres (conductive)
Art no: 72726
D2 / W3, 90 litres (conductive)
Art no: 75374
D6, 55 litres
Art no: 70005

Bag insert for pre-separator
35 litre - Art no: 20425
50 litre - Art no: 12835
110 litre - Art no: 12836
200 litre - Art no: 72740



Disposal container for W3 / D2, 50 litres
with cover and clamping ring
Art no: 15214
with cover, clamping ring and hole with 100 mm opening
Art no: 22174

Other accessories




Accessory basket for R01 A
Steel tube, powder-coated, black, assembled on the acoustic enclosure
L - 578 mm, W - 324 mm, H - 70 mm
Art no: 16956




Accessory basket for R01
Steel tube, powder-coated, red
L - 370 mm, W - 152 mm, H - 340 mm
Art no: 11416



Hose holder, steel plate, powder-coated
L - 330 mm, W - 123 mm, H - 238 mm
Front installation:
Art no: 22402 (red) - Art no: 27132 (black)
Side installation:
Art no: 22890 (red) - Art no: 12064 (black)



Hose holder, steel plate, powder-coated
Installation on the wall
L - 330 mm, W - 123 mm, H - 238 mm,
incl. fastening materials
Art no: 12080 (red)
Art no: 12081 (black)



Accessory holder, stainless steel, mounted on the acoustic enclosure
Height: 65 mm, for accessories 50 mm diameter
1. Interior diameter 50 mm - Art no: 57121
2. Exterior diameter 50 mm - Art no: 54401



Hose and accessory holder, steel sheet, RAL 7035 (grey), installation on the wall,
L - 540 mm,
W - 252 mm,
H - 735 mm
for accessories
50 mm diameter,
Hose, approx. 10.0 m

Art no: 52886
(delivered without accessories)

Other accessories



Suction arm, stainless steel, with suction funnel, conductive, without connection hose to the vacuum (3.0 cantilever arm m is not suitable for R01)

50 mm diameter
 plastic hose, highly flexible
 Cantilever arm: 2.0 m - Art no: 18612
 Cantilever arm: 3.0 m - Art no: 31122



PE hose, highly resistant to abrasion
 Cantilever arm: 2.0 m - Art no: 22447
 Cantilever arm: 3.0 m - Art no: 22448




70 mm diameter
 Plastic hose, highly flexible
 Cantilever arm: 2.0 m - Art no: 18614
 Cantilever arm: 3.0 m - Art no: 19899



PE hose, highly resistant to abrasion
 Cantilever arm: 2.0 m - Art no: 22445
 Cantilever arm: 3.0 m - Art no: 22446



100 mm diameter
 PE hose, highly resistant to abrasion
 Cantilever arm: 2.0 m - Art no: 18615
 Cantilever arm: 3.0 m - Art no: 21525



Suction arm, plastic, black, anti-static, 63 mm interior

1. Segmented hose, push-fit, 9 movable segments, 305 mm, radius of motion max. 90°
 Art no: 55279



2. Slider, push-fit, manually actuated
 Art no: 55294



3. Funnel, push-fit, funnel opening: 115 mm diameter
 Art no: 55284



4. Funnel, push-fit, funnel opening: 150 x 90 mm
 Art no: 55289



5. Junction, stainless steel with pin for 50 mm diameter connection, 50 / 63 mm
 Art. No: 58916



for 70 mm diameter connection, 70 / 63 mm
 Art no: 58926



Accessory installation



Accessory installation



